

# ACCESSORIES

**Accessories Specifications:**

First Office accessories provide ergonomic support for more productive workflow.


**Power Supply:**

Optional power supplies are available for First Office Conference Tables. Cylinder and half cylinder bases feature an 8" x 8" access door with touch latch for tabletop-to-floor wire management.

**GO:**

Ⓜ accessories deliver on or before 12 business days. When ordering GO items, be sure to designate these items with a GO in front of the model number.

# ACCESSORIES



## Adjustable Keyboard Mechanism with Track

- Knob-free, one touch spring assist adjustable mechanism with track
- One touch control for height and tilt adjustment
- All metal finish: black wrinkle powder coat
- Use with wood keyboard platform F-WKT (below)

### F-KP-1

LBS: 12 · CU FT: 2

\$202 U.S.A. LIST

\$263 CANADA LIST



## Keyboard Assembly


- Soft touch knob spring assist adjustable keyboard clamping platform with 18" gel wrist rest
- Tilting and swiveling mouse platform with 6.5" gel wrist rest
- Right or left hand mousing (2-screw attachment)

### F-KP-2

LBS: 13 · CU FT: 2

\$381 U.S.A. LIST

\$495 CANADA LIST



## Keyboard Assembly


- Knob-free, one touch spring assist adjustable mechanism with track
- Microsoft Natural keyboard platform (no wrist rest)
- Slide-out mouse platform
- Right or left hand mousing

### F-KP-5

LBS: 12 · CU FT: 2

\$342 U.S.A. LIST

\$445 CANADA LIST



## Power Strip

- (6) 15 amp outlets
- 9' cord
- (1) RJ 45 data outlet
- Field installed
- UL listed

### F-PS-14

10.5" X 1.875" X 1.875"

LBS: 3 · CU FT: 1

\$141 U.S.A. LIST

\$183 CANADA LIST



## Keyboard Platform

- Wood keyboard platform
- Specify finish

### F-WKT

21.75" X 11" X 1"

\$202 U.S.A. LIST

LBS: 5 · CU FT: 1

\$263 CANADA LIST



## Keyboard Assembly

- Knob-free, one touch spring assist adjustable mechanism with track
- Comfort Plus keyboard platform with 18" gel wrist rest
- Tilting and swiveling mouse platform with 6.5" gel wrist rest
- Right or left hand mousing (no tools needed)

### F-KP-3

LBS: 14 · CU FT: 2

\$440 U.S.A. LIST

\$572 CANADA LIST



## CPU Holder

- Fixed or 360° swivel/slide
- Stores cpu vertically below worksurface
- Height adjustable from 15" to 23"
- Width adjustable from 4.75" to 8.5"
- Accommodates any depth
- 50 lb. weight capacity
- All metal finish black powder coat
- ANSI/BIFMA certified


### F-KP-9

16" D

\$228 U.S.A. LIST

LBS: 13 · CU FT: 2

\$296 CANADA LIST



## Pencil Drawer

- Black molded plastic
- Field installed
- Flush mount only

### F-PD-1


21.875" X 19.25" X 2.125"

\$97 U.S.A. LIST

LBS: 4 · CU FT: 1

\$126 CANADA LIST

# ACCESSORIES




## Wood Keyboard Slide

- Wood keyboard tray with extendable suspension
- Clearance adjustable from 1.25" to 2.5" in quarter inch increments
- 22.75" wide with slides
- **Specify finish**

### F-WK/S

21.75" x 11" x 3.75"  
**\$343** U.S.A. LIST

LBS: 8 • CU FT: 1  
**\$446** CANADA LIST




## Dry Erase White Film

- Self-stick
- Adheres to most smooth surfaces
- Use with dry erase and water-based pens
- Can be cut to fit desired surface

### F-DE-1

18" W x 60" H  
**\$129** U.S.A. LIST

LBS: 2 • CU FT: 1  
**\$168** CANADA LIST



## Task Light

- Mounts under organizers and transaction counters
- NPF magnetic ballast
- T8 tri-phosphor 3500k lamps
- P-12 prismatic lens
- 9' black SJT cord with straight plug and center cord exit
- RH on/off rocker switch
- Screw mounting
- Black finish
- UL listed

### F-TL-1

36" x 8" x 1.5"  
**\$219** U.S.A. LIST

LBS: 9 • CU FT: 1  
**\$285** CANADA LIST

### F-TL-2

(Mounts under corner organizers)

24" x 6.875" x 1.5"  
**\$219** U.S.A. LIST

LBS: 8 • CU FT: 1  
**\$285** CANADA LIST



## Task Light

- Energy efficient T5 3500k fluorescent lamp
- High power factor electronic ballast
- 9' black power cord with straight plug and center cord exit
- P-12 prismatic lens
- UV stable silver reflector
- Screw mounting
- UL, CUL, listed

### F-TL-6

(Cannot be used with units less than 72"W)  
 (Cannot be used with 22-7243HD4)

70" x 5" x 1.125"  
**\$373** U.S.A. LIST


LBS: 10 • CU FT: 1  
**\$485** CANADA LIST

### F-TL-7

(Cannot be used with 30" or 36"W wallmount organizers)

34.53125" x 5" x 1.125"  
**\$236** U.S.A. LIST

LBS: 9 • CU FT: 1  
**\$307** CANADA LIST



## Task Light

- Energy efficient T5 3500k fluorescent lamp
- High power factor electronic ballast
- 9' black power cord with straight plug and right cord exit
- P-12 prismatic lens
- UV stable silver reflector
- Screw mounting
- UL, CUL, listed

### F-TL-8

22.75" x 5" x 1.125"  
**\$219** U.S.A. LIST

LBS: 9 • CU FT: 1  
**\$285** CANADA LIST



## Task Light

- Black fluorescent task light
- 13 watt T5 warm white lamp
- On/off switch
- 10' black power cord
- Screw mounting
- UL, CUL listed

### 23"

### F-TL-9

23" x 1.75" x 1.125"  
**\$165** U.S.A. LIST

LBS: 4 • CU FT: 1  
**\$215** CANADA LIST


- Black fluorescent task light
- 21 watt T5 warm white lamp
- On/off switch
- 10' black power cord
- Screw mounting
- UL, CUL listed

### 36"

### F-TL-10

35.75" x 1.75" x 1.125"  
**\$181** U.S.A. LIST

LBS: 6 • CU FT: 1  
**\$235** CANADA LIST



## Task Light

- Double T5 fluorescent tubes
- Normal Power Factor (NPF) electronic ballast
- 9' power cord
- Clear ribbed lens
- Aluminum reflector
- UL, CUL, listed

### 25"

### F-TL-11

25.5" x 4" x 1"  
**\$129** U.S.A. LIST

LBS: 7 • CU FT: 1  
**\$168** CANADA LIST

### 38"

### F-TL-12

38.5" x 4" x 1"  
**\$145** U.S.A. LIST


LBS: 8 • CU FT: 1  
**\$189** CANADA LIST

### 50"

### F-TL-13

50.5" x 4" x 1"  
**\$176** U.S.A. LIST

LBS: 9 • CU FT: 1  
**\$229** CANADA LIST



## Black Power Supply


- Use with rectangular, boat and racetrack conference table tops only
- 3 electric outlets
- Retractable
- UL listed

### F-PS-2

4.125" x 2.625" x 8.5"  
**\$277** U.S.A. LIST

LBS: 1  
**\$360** CANADA LIST

# ACCESSORIES




## Black Power Supply

- Use with rectangular, boat and racetrack conference table tops only
- 2 electric outlets
- 1 opening for additional modular
- Retractable
- UL listed

### F-PS-3

4.125" x 2.625" x 8.5" LBS: 1  
**\$256** U.S.A. LIST **\$333** CANADA LIST




## Black Power Sphere

- Use with round conference table tops only
- 4 electric outlets
- UL listed

### F-PS-5

3.375" x 3.375" x 3.5" LBS: 1  
**\$348** U.S.A. LIST **\$452** CANADA LIST



## Power Supply Inserts

- Black only
- UL listed

## Black Voice Hard Wire Jack


### F-RJ-11

**\$48** U.S.A. LIST **\$62** CANADA LIST

## Black Data Hard Wire Jack

### F-RJ-45

**\$48** U.S.A. LIST **\$62** CANADA LIST



## Power and Data Grommet

- (2) 110 volt outlets
- (2) Cat. 5E universal data modules
- Matte black
- Removable cap
- UL listed

### F-PS-13

4.25" x 4.25" x 5.625" LBS: 4 • CU FT: 1  
**\$267** U.S.A. LIST **\$347** CANADA LIST




## Black Power Unit Shell

- Use with rectangular, boat and racetrack conference table tops only
- Shell only
- 2 openings for modulars
- Retractable

### F-PS-6

4.125" x 2.625" x 8.5" LBS: 1  
**\$174** U.S.A. LIST **\$226** CANADA LIST



## Black Power Sphere

- Use with round conference table tops only
- 2 electric outlets
- 2 openings for additional modulars
- UL listed

### F-PS-4

3.375" x 3.375" x 3.5" LBS: 1  
**\$312** U.S.A. LIST **\$406** CANADA LIST



## Monitor Arm

- Full movement
- Weight tension spring allows monitor positioning with fingertip control
- Aluminum finish
- Weight rating of 6.6 to 11 lbs.
- Accommodates most 15" and 17" flat screens
- Extends 20.75" at full extension
- Mounts through 60mm (2.375") grommet hole cut in worksurface; maximum worksurface thickness 1.5"
- Monitor easily rotates from landscape to portrait view and pivots for viewing comfort
- Side to side movement for flexibility and shared viewing
- Vertical travel distance of 9" for correct height
- Integrated cable management keeps worksurfaces clear from connecting cables
- Monitor mount includes both 3" and 4" spaced holes to comply with VESA (Visual Electronics Standards Association) mounting standards
- Flat screen monitor not included

### FO-MA 60

4.5" x 20.75" x 9.5" LBS: 6 • CU FT: 1  
**\$380** U.S.A. LIST **\$494** CANADA LIST



## Optional Cap Cover

- Anodized aluminum finish
- Snaps over matte black cap on F-PS-13

### F-PS-13C

4.25" x 4.25" x .1875" LBS: 1  
**\$175** U.S.A. LIST **\$228** CANADA LIST

# ACCESSORIES



## Wire Managers

### F-WM-12

12"  
\$33 U.S.A. LIST \$43 CANADA LIST

### F-WM-24

24"  
\$40 U.S.A. LIST \$52 CANADA LIST

### F-WM-36


36"  
\$47 U.S.A. LIST \$61 CANADA LIST



## Velcro Wire Manager

### F-WM-V

3" x 2"  
\$20 U.S.A. LIST \$26 CANADA LIST



## Pencil Tray

- Black plastic

### F-DA16-1

(Use on 15.625" wide pedestals)  
12.875" x 5.625" x 1.125" LBS: 2 • CU FT: 1  
\$26 U.S.A. LIST \$34 CANADA LIST

### F-DA19-1

(Use on 18.625" wide pedestals)  
15.875" x 5.625" x 1.125" LBS: 2 • CU FT: 1  
\$26 U.S.A. LIST \$34 CANADA LIST



## Grommet

- Inside dimensions with inserts .5625" diameter
- Inside dimensions without inserts 1.8125" diameter

### F-CGB-1

2.125" DIAMETER  
\$31 U.S.A. LIST \$40 CANADA LIST



## Grommet

- For factory installation only
- For power cutout option on conference table tops only; cannot be field-installed
- Inside dimensions with inserts 1.5" x .75"
- Inside dimensions without inserts 2.9375" x 1.5"

### F-RGB-1 (BLACK)


3.375" x 2"  
\$52 U.S.A. LIST \$68 CANADA LIST

### F-RGN-1 (NICKEL)


3.375" x 2"  
\$52 U.S.A. LIST \$68 CANADA LIST

### F-RGS-1 (ANTIQUE BRASS)

3.375" x 2"  
\$52 U.S.A. LIST \$68 CANADA LIST



F-PS-15PD



F-PS-15PP

## Under Surface Power Supply

- 1 electric outlet
- 1 opening for additional module
- Black finish
- For use under worksurfaces
- UL listed


### F-PS-15PD

LBS: 2 • CU FT: 1  
\$113 U.S.A. LIST \$147 CANADA LIST


- 2 electric outlets
- Black finish
- Use under worksurfaces
- UL listed

### F-PS-15PP

LBS: 2 • CU FT: 1  
\$113 U.S.A. LIST \$147 CANADA LIST



F-PS-16PD



F-PS-16PP

## Power Supply

- 1 electric outlet
- 1 opening for additional module
- Metallic silver powder coat finish
- For use with worksurfaces - factory installed only - contact your customer service representative for ordering information
- UL listed


### F-PS-16PD

LBS: 3 • CU FT: 1  
\$239 U.S.A. LIST \$311 CANADA LIST


- 2 electric outlets
- Metallic silver powder coat finish
- For use with worksurfaces - factory installed only - contact your customer service representative for ordering information
- UL listed

### F-PS-16PP

LBS: 3 • CU FT: 1  
\$239 U.S.A. LIST \$311 CANADA LIST



F-PS-17PD



F-PS-17PP

## Power Supply - Ipod Docking Station

- 1 electric outlet
- 1 opening for additional module
- Ipod docking station with headphone/speaker jack
- Anodized aluminum finish
- For use with worksurfaces - factory installed only - contact your customer service representative for ordering information
- UL listed

### F-PS-17PD

LBS: 5 • CU FT: 1  
\$566 U.S.A. LIST \$736 CANADA LIST

- 2 electric outlets
- Ipod docking station with headphone/speaker jack
- Anodized aluminum finish
- For use with worksurfaces - factory installed only - contact your customer service representative for ordering information
- UL listed

### F-PS-17PP

LBS: 5 • CU FT: 1  
\$566 U.S.A. LIST \$736 CANADA LIST